



# TVU One®

## Advantages

- △ Reliably transmits high picture quality video even in congested or challenging environments
- △ Uses patented IS+ transmission algorithm
- △ Support for HDR and 1080P60 encoding at as little as 800kbps
- △ Long internal battery life
- △ HEVC/H.265 video compression
- △ CNCed from high-density aluminum

Unlike any transmitter.

HD picture quality with half-second latency at 3Mbps.



## TVU One® Technical Specifications\*

**Video Input**

3G-SDI and HDMI 2.0 video inputs

**Audio Input**

Upto 8 channel embedded SDI/HDMI audio

**Supported Data Connections**

Simultaneously aggregate up to 12 data connections including internal/external cellular, WiFi, Ethernet, IP Microwave or Satellite (Ka/Ku/BGAN). System includes up to 6 embedded CAT12 3G/4G/LTE modems and optional 5G modems, embedded 2.4/5GHz WiFi, Ethernet, and 4 USB connections for external modem connections

**Modem Support**

6 embedded  
4 USB

**Power Source**

A single removable, rechargeable internal battery with an optional external Gold or V-Mount battery

**Transmitter Controls**

One button power-on, onboard monitoring and management, remote monitoring and management using mobile smart device or Command Center web service

**Power Consumption**

Max 30W

**Storage**

Up to 18 hours with 128 SD card

**Video Input Resolution**

SDI Input  
HD 1080p 25/29.97/30/50/59.94/60, 1080i  
50/59.94/60, 720p 50/59.94/60  
SD PAL 625i/50  
SD NTSC 525i/59.94  
HDMI Input  
HD 1080p 25/29.97/30/50/59.94/60, 1080i  
50/59.94/60, 720p 50/59.94/60  
SD PAL 625i/50  
SD NTSC 525i/59.94

**Encoding and Compression Standard**

H.265/HEVC or H.264

**Variable Bit-Rate Encoding**

TVU Smart VBR hardware encoder

**Bit-Rate**

100K-30Mbps

**Return Video Feed**

TVU One feed or SDI input at Server  
HotSpot stream on the same server

**Recording**

Supported, Dual Encoder

**Glass-to-Glass Latency**

0.5 seconds

**Battery Run Times**

Internal - 4.5 hours  
External (PowerPac) - 8 hours

**SD Card Slot (up to 256G)**

1 card slot

**Operating Temperatures**

0°C to 40°C (32°F to 104°F)

**Unit Dimensions & Weight**

7.48 x 4.72 x 2.76in (190 x 120 x 70mm)  
2.2lbs (1kg)

**Voice Communication**

Bidirectional IFB

**Color Space & Bit-depth**

8bit/10-bit, 4:2:0

**Patented Transmission Algorithm**

Inverse Statmux Plus (IS+)

**Start-Up Time**

Less than 30 seconds

**External Interface Connections**

SDI, HDMI, USB, Ethernet, IFB

**Store and Forward Supported****DC Input**

Right angle Mini Jack DC input that connects to external battery or supplied AC adapter. External power adapter: 11-19V DC

**Control Screen Specifications**

3.5 inch, 16:10 LCD touchscreen

**FCC and CE Compliant****Anatel Certified**

www.tvunetworks.com  
857 Maude Avenue, Mountain View, CA, 94043  
+ 1.650.969.6732

## TVU One® Software Packages

<b>Features</b>	<b>Standard</b>	<b>Pro</b>	<b>Enterprise</b>
One Button Operation	Yes	Yes	Yes
30 Second Start Up	Yes	Yes	Yes
Encoding: H.265/HEVC or H.264	Yes	Yes	Yes
Hotspot Monitoring and Control	Yes	Yes	Yes
Inverse StatMux Plus (IS+)	Yes	Yes	Yes
Live Video Transmission	Yes	Yes	Yes
Live Record Hours	0.5	3.5	7
Smart VBR	Yes	Yes	Yes
Web Interface Control	Yes	Yes	Yes
Satellite/Cellular Hybrid Connectivity	Yes	Yes	Yes
Economy Preview	No	Yes	Yes
4-Channel Audio	No	Yes	Yes
TVU Voice (VoIP/IFB)	No	Yes	Yes
Accelerated File Transfer	No	Yes	Yes
Time Code Marking	No	Yes	Yes
External USB Modem Support	No	Yes	Yes
Encoding Switching: H265 & H264/H265	No	Yes	Yes
Progressive Download	No	No	Yes
Hotspot Aggregated High Speed Internet Access	No	No	Yes
Metadata Marking	No	No	Yes
Video Clipping and Download	No	No	Yes
Return Video Feed	No	No	Yes
Dual Encoding	No	No	Yes
GPS Tracking	No	No	Yes
Data Prioritization Control	No	No	Yes
TVU Router: High speed wireless connectivity anywhere	No	No	Yes
TVU Timelock: Untethered multiple synchronized remote transmission	No	No	Yes
Number of Enabled USB External Modem/Dongle Ports	0	2	4
<b>TVU Application Compatibility</b>			
TVU Alert: Instant alert messaging across all TVU devices	Yes	Yes	Yes
TVU Analytics: Dashboard monitoring of all data usage	Yes	Yes	Yes
TVU Grid: IP video switching, routing and distribution	Yes	Yes	Yes
TVU MediaMind: AI & cloud based story centric workflow platform	Yes	Yes	Yes
TVU Producer: Cloud based feature rich multicamera production	Yes	Yes	Yes
TVU Booking: Automated management of all TVU transmissions	No	No	Yes



www.tvunetworks.com  
 857 Maude Avenue, Mountain View, CA, 94043  
 + 1.650.969.6732